

TECHNICAL REPORT



Report No.: TW2104115-01E  
File Reference No.: 2021-06-11

Applicant: Eastern Times Technology Co.,Ltd

Product: WIRED & WIRELESS GAMING MOUSE

Model No.: M808-KS, DS-2887

Brand Name: REDRAGON

Test Standards: ETSI EN 300 440 v 2.2.1 (2018-07)

Test Result: The RF Spectrum testing has been performed on the submitted samples and found in compliance with council RE Directive 2014/53/EU

Approved By

A handwritten signature in black ink that reads "Terry Tang".

---

Terry Tang  
EMC Manager

Dated: June 11, 2021

**Results appearing herein relate only to the sample tested**  
**The technical reports is issued errors and omissions exempt and is subject to withdrawal at**

**SHENZHEN TIMEWAY TESTING LABORATORIES.**

Zone C, 1st Floor, Block B, Jun Xiang Da Building, Zhongshan Park Road West, Tong Le Village, Nanshan District, Shenzhen, China

Tel (+86 755)8344 8688 Fax (+86 755)8344 2996 Email:info@timeway-lab.com



### **Special Statement:**

The testing quality ability of our laboratory meet with "Quality Law of People's Republic of China" Clause 19.

The testing quality system of our laboratory meet with ISO/IEC-17025 requirements, which is approved by CNAS. This approval result is accepted by MRA of APLAC.

Our test facility is recognized, certified, or accredited by the following organizations:

#### **CNAS-LAB Code: L2292**

The EMC Laboratory has been assessed and in compliance with CNAS-CL01 accreditation criteria for testing Laboratories (identical to ISO/IEC 17025:2005 General Requirements) for the Competence of testing Laboratories.

#### **FCC-Registration No.: 744189**

The EMC Laboratory has been registered and fully described in a report filed with the (FCC) Federal Communications commission. The acceptance letter from the FCC is maintained in our files. Registration No.: 744189.

#### **Industry Canada (IC) —Registration No.:5205A**

The EMC Laboratory has been registered by Certification and Engineering Bureau of Industry Canada for radio equipment testing with Registration No.: 5205A.

#### **A2LA (Certification Number:5013.01)**

The EMC Laboratory has been accredited by the American Association for Laboratory Accreditation (A2LA). Certification Number:5013.01



Test Report Conclusion  
Content

<b>1.0</b>	<b>General Details</b> .....	4
1.1	Notes.....	4
1.2	Test Laboratory.....	4
1.3	Details of Applicant.....	4
1.4	Application Details.....	4
1.5	Test Item.....	5
1.6	Test Standards.....	5
1.7	Configuration of The EUT.....	6
1.8	EUT Modification.....	6
1.9	Test By.....	6
<b>2.0</b>	<b>Technical Test</b> .....	7
2.1	Summary of Test Result.....	7
2.2	Test Report.....	7
	Clause4.2.1 Transmitter Requirements.....	8
	Clause4.2.2Equivalent Isotropically Radiated Power (eirp).....	8
	Clause4.2.3 Permitted Range of Operating Frequencies.....	11
	Clause4.2.4 Unwanted Emissions in the spurious domain.....	13
	Clause4.2.5 Duty Cycle.....	15
	Clause 4.3 Receiver Requirements.....	16
	Clause 4.3.3 Adjacent channel Selectivity.....	16
	Clause 4.3.4 Blocking or Desensitization.....	18
	Clause 4.3.5 Spurious radiations.....	20
<b>3.0</b>	<b>CE Label</b> .....	21
<b>4.0</b>	<b>Photograph-Test Set up</b> .....	22
<b>5.0</b>	<b>Photograph-EUT</b> .....	24
<b>6.0</b>	<b>Test Equipment</b> .....	33
<b>7.0</b>	<b>Measurement Uncertainty</b> .....	35

The report refers only to the sample tested and does not apply to the bulk.  
This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for advertising. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.  
In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.



## 1.0 General Information

### 1.1 Notes

The test results of this report relate exclusively to the test item specified in 1.5. The TIMEWAY Lab does not assume Responsibility for any conclusions and generalizations drawn from the test results with regard to other specimens or samples of the type of the equipment represented by the test item. The test report may only be reproduced or published in full. Reproduction or publication of extracts from the report requires the prior written approval of the TIMEWAY Lab.

### 1.2 Testing Laboratory

#### SHENZHEN TIMEWAY TESTING LABORATORIES.

Zone C, 1st Floor, Block B, Jun Xiang Da Building, Zhongshan Park Road West, Tong Le Village, Nanshan District, Shenzhen, China

Tel: +86 755 83448688 Fax :+86 755 83442996

Internet: [www.timeway-lab.com](http://www.timeway-lab.com)

Site on File With the Federal Communications and Commission – United States

Registration Number: 744189

For 3m Anechoic Chamber

Site Listed with Industry Canada of Ottawa, Canada

Registration Number: IC: 5205A

For 3m Anechoic Chamber

### 1.3 Details of Applicant

Name: Eastern Times Technology Co.,Ltd

Address: Building D,Nan An Industrial Area,Youganpu Village, Fenggang Town, Dongguan City, Guangdong, China.

### 1.4 Application Details

Date of Receipt of Application: April 09, 2021

Date of Receipt of Test Item: April 09, 2021

Date of Test: April 09, 2021~ June 11, 2021

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for advertising. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.



### 1.5 Test Item

Manufacturer: Eastern Times Technology Co.,Ltd

Address: Building D,Nan An Industrial Area,Youganpu Village, Fenggang Town, Dongguan City, Guangdong, China.

Brand Name: REDRAGON

Model No.: M808-KS

Additional Model: DS-2887

Description: WIRED & WIRELESS GAMING MOUSE

### Additional Information

Frequency: 2403MHz-2480MHz for USB dongle and 2403MHz-2480MHz for Mouse Part

Channel List:

Ch No.	1	2	3	4	5	6	7	8
Frequency (MHz)	2403	2424	2441	2461	2414	2435	2450	2470
Ch No.	9	10	11	12	13	14	15	16
Frequency (MHz)	2409	2429	2455	2475	2419	2445	2465	2480

Antenna Designation: PCB Printed Antenna with maximum gain -1.0dBi for Mouse part and 1.16dBi for USB dongle part

Rating: DC5V hosted from PC for USB dongle part and DC4.2V for Mouse part (Built-in DC3.7V, 700mAh Li-ion battery); Charging Input: DC5V, 1A

Operation Distance: N/A

Resolution: N/A

Extreme Temp. Tolerance: -20°C to 55°C

**Note: Classification according to CEPT/ERC Recommendation 70-03**

### 1.6 Test Standards

#### ETSI EN 300 440 v 2.2.1 (2018-07)

Short Range Devices (SRD);

Radio equipment to be used in the 1 GHz to 40 GHz frequency range;

Harmonised Standard for access to radio spectrum

Note: All radiated measurements were made in all three orthogonal planes. The values reported are the maximum values.

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for advertising. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.





## 2.0 Technical Test

### 2.1 Summary of Test Results

No deviations from the technical specification(s) were ascertained in the course of the tests Performed	
Final Verdict: (Only "Passed" if all Measurements are "Passed")	<b>Pass</b>

### 2.2 Test Report

#### Test Report Reference

List of Measurements	
Parameter to be measured	Clause
<b>Transmitter Parameters</b>	
Transmitter Requirements	Clause 4.2.1
Equivalent Isotropically Radiated Power (eirp)	Clause 4.2.2
Permitted Range of Operating Frequencies	Clause 4.2.3
Unwanted emissions in the spurious domain	Clause 4.2.4
Duty Cycle	Clause 4.2.5
<b>Receiver Parameters</b>	
Receiver Requirements	Clause 4.3
Adjacent Band Selectivity	Clause 4.3.3
Blocking or Desensitisation	Clause 4.3.4
Receiver Spurious Emissions	Clause 4.3.5

Note: The clause numbers are referenced to ETSI EN 300 440 v 2.2.1 (2018-07).

The report refers only to the sample tested and does not apply to the bulk.  
 This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced either in its entirety or in part and it may not be used for advertising. The client to whom the report is issued may, however, show or send it, or a certified copy thereof prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES, to his customer. Supplier or other persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES, will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.  
 In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES, reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.



**Clause 4.2.1 Transmitter Requirements**


The transmitter with a dedicated antenna.

**Clause 4.2.2 Equivalent Isotropically Radiated Power (eirp)**

For Transmitter

EIRP is calculated by method described under EN 300 440 sub clause 4.2.2.3

Conducted measurements



**Figure 2: Measurement arrangement**

For practical reasons, measurements shall be performed only at the highest power level at which the transmitter is intended to operate. The measurement arrangement in figure 2 shall be used.

The measurement shall be performed preferably in the absence of modulation.

When it is not possible to measure it in the absence of modulation, this fact shall be stated in test reports.

The transmitter shall be set in continuous transmission mode. If this is not possible, the measurements shall be carried out in a period shorter than the duration of the transmitted burst. It may be necessary to extend the duration of the burst.

The transmitter shall be connected to an artificial antenna (see clause 5.8.2) and the power delivered to this artificial antenna shall be measured.

The equivalent isotropically radiated power is then calculated from the measured value, the known antenna gain, relative to an isotropic antenna, and if applicable, any losses due to cables and connectors in the measurement system.

For Transmitter:

Mouse

Test Conditions		-6 dB transmitter bandwidth		
		Low Freq. 2403MHz	Mid Freq. 2441MHz	High Freq. 2480MHz
T <sub>nor</sub> (25°C)	V <sub>nor</sub> (3.7V)	1.253MHz	1.263MHz	1.263MHz

USB Dongle Part

Test Conditions		-6 dB transmitter bandwidth		
		Low Freq. 2403MHz	Mid Freq. 2441MHz	High Freq. 2480MHz
T <sub>nor</sub> (25°C)	V <sub>nor</sub> (230V)	1.053MHz	1.073MHz	1.083MHz

The report refers only to the sample tested and does not apply to the bulk.  
This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for advertising. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.  
In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.



For Transmitter:  
Mouse Part

Test Conditions		Transmitter Power (Limit 10dBm) EIRP					
		Low Freq. 2403MHz		Mid Freq. 2441MHz		High Freq. 2480MHz	
T <sub>nor</sub> (25°C)	V <sub>nor</sub> (3.7V)	Pk	1.71	Pk	2.20	Pk	1.26
T <sub>min</sub> (-20°C)	V <sub>H</sub> (4.2V)	Pk	1.73	Pk	2.23	Pk	1.35
T <sub>max</sub> (+55°C)	V <sub>H</sub> (4.2V)	Pk	1.78	Pk	2.35	Pk	1.29
T <sub>min</sub> (-20°C)	V <sub>L</sub> (3.7V)	Pk	1.60	Pk	2.17	Pk	1.13
T <sub>max</sub> (+55°C)	V <sub>L</sub> (3.7V)	Pk	1.66	Pk	2.18	Pk	1.15

Dongle Part

Test Conditions		Transmitter Power (Limit 10dBm) EIRP					
		Low Freq. 2403MHz		Mid Freq. 2441MHz		High Freq. 2480MHz	
T <sub>nor</sub> (25°C)	V <sub>nor</sub> (230V)	Pk	0.39	Pk	0.50	Pk	0.12
T <sub>min</sub> (-20°C)	V <sub>L</sub> (207V)	Pk	0.35	Pk	0.47	Pk	0.19
T <sub>max</sub> (+55°C)	V <sub>L</sub> (207V)	Pk	0.46	Pk	0.55	Pk	0.08
T <sub>min</sub> (-20°C)	V <sub>H</sub> (253V)	Pk	0.38	Pk	0.49	Pk	0.16
T <sub>max</sub> (+55°C)	V <sub>H</sub> (253V)	Pk	0.49	Pk	0.62	Pk	0.07

Note:

- (1) The EUT is a stand-alone radio device. The Mouse part is powered by Li-ion battery. The USB dongle part is powered by PC, so the ac source is the power.
- (2) The value of table is worst case during test condition, includes different combinations of transmitter rate antenna polarity and temperature.
- (3) EIRP=Reading + Loss + Antenna Gain

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for advertising. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.



**Limits: EN 300 440, Clause 4.2.2.4**

**Table 2: Maximum radiated peak power (e.i.r.p.)**

Frequency Bands	Power	Application	Notes
2 400 MHz to 2 483,5 MHz	10 mW e.i.r.p.	Non-specific short range devices	
2 400 MHz to 2 483,5 MHz	25 mW e.i.r.p.	Radio determination devices	
(a) 2 446 MHz to 2 454 MHz	500 mW e.i.r.p.	Radio Frequency Identification (RFID) devices	See also table 4 and annex D
(b) 2 446 MHz to 2 454 MHz	4 W e.i.r.p.	Radio Frequency Identification (RFID) devices	See also table 4 and annex D
5 725 MHz to 5 875 MHz	25 mW e.i.r.p.	Non-specific short range devices	
9 200 MHz to 9 500 MHz	25 mW e.i.r.p.	Radio determination devices	
9 500 MHz to 9 975 MHz	25 mW e.i.r.p.	Radio determination devices	
10,5 GHz to 10,6 GHz	500 mW e.i.r.p.	Radio determination devices	
13,4 GHz to 14,0 GHz	25 mW e.i.r.p.	Radio determination devices	
17,1 GHz to 17,3 GHz	400 mW e.i.r.p.	Radio determination devices	See annex F
24,00 GHz to 24,25 GHz	100 mW e.i.r.p.	Non-specific short range devices and Radio determination devices	

The report refers only to the sample tested and does not apply to the bulk.  
 This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for advertising. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.  
 In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.



**Clause 4.2.3 Permitted Range of Operating Frequencies**

For Transmitter:

Mouse Part

Test Conditions		Frequency (MHz) at which-30 dBm occurs	
		Low Frequency ( $f_L$ ) 2403MHz	High Frequency ( $f_H$ ) 2480MHz
$T_{nor}$ (25°C)	$V_{nor}$ (3.7V)	2401.78257	2481.20741
$T_{min}$ (-20°C)	$V_H$ (4.2V)	2401.78244	2481.20736
$T_{max}$ (+55°C)	$V_H$ (4.2V)	2401.78261	2481.20748
$T_{min}$ (-20°C)	$V_L$ (3.7V)	2401.78249	2481.20730
$T_{max}$ (+55°C)	$V_L$ (3.7V)	2401.78265	2481.20754

USB Dongle Part

Test Conditions		Frequency (MHz) at which-30 dBm occurs	
		Low Frequency ( $f_L$ ) 2403MHz	High Frequency ( $f_H$ ) 2480MHz
$T_{nor}$ (25°C)	$V_{nor}$ (230V)	2401.78613	2481.21088
$T_{min}$ (-20°C)	$V_L$ (207V)	2401.78605	2481.21094
$T_{max}$ (+55°C)	$V_L$ (207V)	2401.78617	2481.21082
$T_{min}$ (-20°C)	$V_H$ (253V)	2401.78601	2481.21097
$T_{max}$ (+55°C)	$V_H$ (253V)	2401.78622	2481.21079

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for advertising. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.



Mouse Part

Test Conditions		Frequency (MHz) at which 99%BW occurs	
		Low Frequency (f <sub>L</sub> ) 2403MHz	High Frequency (f <sub>H</sub> ) 2480MHz
T <sub>nor</sub> (25°C)	V <sub>nor</sub> (3.7V)	2401.94289	2481.02705
T <sub>min</sub> (-20°C)	V <sub>H</sub> (4.2V)	2401.94280	2481.02701
T <sub>max</sub> (+55°C)	V <sub>H</sub> (4.2V)	2401.94294	2481.02712
T <sub>min</sub> (-20°C)	V <sub>L</sub> (3.7V)	2401.94277	2481.02695
T <sub>max</sub> (+55°C)	V <sub>L</sub> (3.7V)	2401.94298	2481.02716

USB Dongle Part

Test Conditions		Frequency (MHz) at which 99%BW occurs	
		Low Frequency (f <sub>L</sub> ) 2403MHz	High Frequency (f <sub>H</sub> ) 2480MHz
T <sub>nor</sub> (25°C)	V <sub>nor</sub> (230V)	2401.93523	2481.02845
T <sub>min</sub> (-20°C)	V <sub>L</sub> (207V)	2401.93519	2481.02842
T <sub>max</sub> (+55°C)	V <sub>L</sub> (207V)	2401.93530	2481.02851
T <sub>min</sub> (-20°C)	V <sub>H</sub> (253V)	2401.93512	2481.02837
T <sub>max</sub> (+55°C)	V <sub>H</sub> (253V)	2401.93534	2481.02856

Note:

(1) The EUT is a stand-alone radio device. The Mouse part is powered by Li-ion battery. The USB dongle part is powered by PC, so the ac source is the power.

(2) The value of table is worst case during test condition, includes different combinations of transmitter rate antenna polarity and temperature.

Limits EN 300 440 Clause 4.2.3.5

Under Normal Test Conditions	F <sub>L</sub> >2400MHz, f <sub>H</sub> <2483.5
------------------------------	---

The report refers only to the sample tested and does not apply to the bulk.  
 This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for advertising. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.  
 In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.



**Clause 4.2.4 Spurious Emissions  
 (Radiated)**

Product	WIRED & WIRELESS GAMING MOUSE	Test Mode	Low and High Channel
Test Item	Spurious Emissions data	Temperature	25°C
Test Voltage	DC5V for USB dongle part and DC 3.7V for Mouse Part	Humidity	56%RH
Test Result	Pass	Model:	M808-KS

Note:

1. Measurements were done on low & high channels, the worst case are submitted in the report.
2. The spurious emissions were done with different settings, using the relevant pre-amplifiers for the relevant frequency ranges.
3. The test frequency range is from 25M-25G and please see clause 4.2.4.3.3 of EN 300 440 for the test method.

**Low Channel (2403MHz) for Mouse Part**

Lowest Frequency			Highest Frequency		
F(MHz)	Band-Width(kHz)	Level (dBm)	F(MHz)	Band-Width(kHz)	Level(dBm)
53.77	100	-71.6	--	--	--
Measurement Uncertainty		4. 7dB			

**High Channel (2480MHz) for Mouse Part**

Lowest Frequency			Highest Frequency		
F(MHz)	Band-Width(kHz)	Level (dBm)	F(MHz)	Band-Width(kHz)	Level(dBm)
98.29	100	-72.1	--	--	--
Measurement Uncertainty		4. 7dB			

The report refers only to the sample tested and does not apply to the bulk.  
 This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for advertising. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.  
 In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.



**Low Channel for USB Dongle Part**

Lowest Frequency			Highest Frequency		
F(MHz)	Band-Width(kHz)	Level (dBm)	F(MHz)	Band-Width(kHz)	Level(dBm)
165.39	100	-70.9	-	-	NF
Measurement Uncertainty		4. 7dB			

**High Channel for USB Dongle Part**

Lowest Frequency			Highest Frequency		
F(MHz)	Band-Width(kHz)	Level (dBm)	F(MHz)	Band-Width(kHz)	Level(dBm)
116.51	100	-71.2	-	-	NF
Measurement Uncertainty		4. 7dB			

Note: NF = No Significant Peak was Found.

Limits EN 300 440, Clause 4.2.4.4

**Table 3: Spurious emissions**

Frequency ranges	47 MHz to 74 MHz 87,5 MHz to 108 MHz 174 MHz to 230 MHz 470 MHz to 862 MHz	Other frequencies ≤ 1 000 MHz	Frequencies > 1 000 MHz
State			
Operating	4 nW	250 nW	1 μW
Standby	2 nW	2 nW	20 nW

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced either in its entirety or in part and it may not be used for advertising. The client to whom the report is issued may, however, show or send it, or a certified copy thereof prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES, to his customer, Supplier or other persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES, will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report, The SHENZHEN TIMEWAY TESTING LABORATORIES, reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.



**Clause 4.2.5 Duty Cycle  
For Transmitter**

The EUT is WIRED & WIRELESS GAMING MOUSE intends to use in household and office or related application, It's declared by the manufacturer as a duty ratio up to 100%

Product	WIRED & WIRELESS GAMING MOUSE	Test Mode	Low, High and Middle Channel
Test Item	Duty Cycle	Temperature	25°C
Test Voltage	DC5V for USB dongle part and DC 3.7V for Mouse Part	Humidity	56%RH
Test Result	Pass	Model:	M808-KS

**X = Duty Cycle Ratio, Up to 100%**

**Limits EN 300 440-1, Clause 4.2.5.4**

**Table 4: Duty cycle limits**

Frequency Band	Duty cycle	Application	Notes
2 400 MHz to 2 483,5 MHz	No Restriction	Generic use	
2 400 MHz to 2 483,5 MHz	No Restriction	Radiodetermination	
(a) 2 446 MHz to 2 454 MHz	No Restriction	RFID	Limits shown in Annex G shall apply
(b) 2 446 MHz to 2 454 MHz	≤ 15 %	RFID	Limits shown in Annex G shall apply
5 725 MHz to 5 875 MHz	No Restriction	Generic use	
9 200 MHz to 9 500 MHz	No Restriction	Radiodetermination	
9 500 MHz to 9 975 MHz	No Restriction	Radiodetermination	
10,5 GHz to 10,6 GHz	No Restriction	Radiodetermination	
13,4 GHz to 14,0 GHz	No Restriction	Radiodetermination	
17,1 GHz to 17,3 GHz	DAA or equivalent techniques	Radiodetermination, limited to GBSAR detecting and movement and alert applications	Limits shown in Annex I shall apply
24,00 GHz to 24,25 GHz	No Restriction	Generic use and for radiodetermination	
NOTE: The spectrum ranges in some entries are not harmonised throughout all EU territory, specifically entries 4, 9, and 11 have been identified as such. Implementers are cautioned to refer to CEPT/ERC Recommendation 70-03 [i.2] as well as current National Radio plans to verify acceptance within intended regions of use.			

The report refers only to the sample tested and does not apply to the bulk.  
This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for advertising. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.  
In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.



### Clause 4.3 Receiver Requirements

#### For Receiver

#### Receiver Classification, Table 2 of EN300 440

Table 5: Receiver categories

Receiver category	Relevant receiver clauses	Risk assessment of receiver performance
1	4.3.3, 4.3.4 and 4.3.5	Highly reliable SRD communication media; e.g. serving human life inherent systems (may result in a physical risk to a person).
2	4.3.4 and 4.3.5	Medium reliability SRD communication media e.g. causing inconvenience to persons, which cannot simply be overcome by other means.
3	4.3.4 and 4.3.5	Standard reliability SRD communication media and radiodetermination devices. E.g. Inconvenience to persons, which can simply be overcome by other means (e.g. manual).

**Note: The EUT (Rx Part) belongs to Class 3**

### Clause 4.3.3 Adjacent Band Selectivity

#### For Receiver

Product	WIRED & WIRELESS GAMING MOUSE	Test Mode	Low and High Channel
Test Item	Adjacent Band Selectivity	Temperature	25°C
Test Voltage	DC5V for USB dongle part and DC 3.7V for Mouse Part	Humidity	56%RH
Test Result	Pass	Model:	M808-KS

#### Mouse under receiving mode

##### Low Channel-2403MHz

Adjacent channel selectivity	Limit
-33.7	-38.60

##### High Channel-2480MHz

Adjacent channel selectivity	Limit
-32.2	-38.90

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for advertising. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.



**USB Dongle under receiving mode**

Low Channel-2403MHz

Adjacent channel selectivity	Limit
-33.5	-37.84

High Channel-2480MHz

Adjacent channel selectivity	Limit
-33.8	-38.24

**Limit**

The adjacent channel selectivity of the equipment under specified conditions shall not be less than  $-30 \text{ dBm} + k$ .

The correction factor,  $k$ , is as follows:

$$k = -20 \log f - 10 \log BW$$

Where:

- $f$  is the frequency in GHz;
- $BW$  is the channel bandwidth in MHz.

The factor  $k$  is limited within the following:

$$-40 \text{ dB} < k < 0 \text{ dB}.$$



**Clause 4.3.4 Blocking or Desensitization  
 For Receiver**

Product	WIRED & WIRELESS GAMING MOUSE	Test Mode	Low and High Channel
Test Item	Blocking or Desensitization	Temperature	25°C
Test Voltage	DC5V for USB dongle part and DC 3.7V for Mouse Part	Humidity	56%RH
Test Result	Pass	Model:	M808-KS

**Mouse under receiving mode**

Low Channel-2403MHz

Wanted Signal (MHz)	Unwanted Signal (MHz)	Blocking Level (dBm)	Limit	Result
2403	2403-10	-47.4	-68.60	Pass
2403	2403-20	-41.6	-68.60	Pass
2403	2403-50	-36.8	-68.60	Pass

High Channel-2480MHz

Wanted Signal (MHz)	Unwanted Signal (MHz)	Blocking Level (dBm)	Limit	Result
2480	2480+10	-46.1	-68.90	Pass
2480	2480+20	-40.8	-68.90	Pass
2480	2480+50	-37.0	-68.90	Pass

Note: the receive channel bandwidth is 1MHz

The report refers only to the sample tested and does not apply to the bulk.  
 This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for advertising. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.  
 In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.



**USB Dongle under receiving mode**

Low Channel-2403MHz

Wanted Signal (MHz)	Unwanted Signal (MHz)	Blocking Level (dBm)	Limit	Result
2403	2403-10	-47.9	-67.84	Pass
2403	2403-20	-41.3	-67.84	Pass
2403	2403-50	-37.2	-67.84	Pass

High Channel-2480MHz

Wanted Signal (MHz)	Unwanted Signal (MHz)	Blocking Level (dBm)	Limit	Result
2480	2480+10	-46.5	-68.24	Pass
2480	2480+20	-40.2	-68.24	Pass
2480	2480+50	-37.7	-68.24	Pass

Note: the receive channel bandwidth is 1MHz

**Limit**

The blocking level, for any frequency within the specified ranges, shall not be less than the values given in table 6, except at frequencies on which spurious responses are found.

**Table 6: Limits for blocking or desensitization**

Receiver category	Limit
1	-30 dBm + k
2	-45 dBm + k
3	-60 dBm + k

The correction factor, k, is as follows:

$$k = -20 \log f - 10 \log BW$$

Where:

- f is the frequency in GHz;
- BW is the channel bandwidth in MHz.

The factor k is limited within the following:

$$-40 \text{ dB} < k < 0 \text{ dB.}$$

The report refers only to the sample tested and does not apply to the bulk. This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for advertising. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report. In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.



**Clause 4.3.5 Receiver Spurious Emissions  
 (Radiated)**

Product	WIRED & WIRELESS GAMING MOUSE	Test Mode	Low and High Channel
Test Item	Spurious Emissions data	Temperature	25°C
Test Voltage	DC5V for USB dongle part and DC 3.7V for Mouse Part	Humidity	56%RH
Test Result	Pass	Model:	M808-KS

Note:

1. Measurements were done on low & high channels, the worst case are submitted in the test report.
2. The receiver spurious emissions were done with different settings, using the relevant and pre-amplifiers for the relevant frequency ranges.

For Receiver:

Lowest Frequency			Highest Frequency		
F(MHz)	Band-Width(kHz)	Level (dBm)	F(MHz)	Band-Width(kHz)	Level(dBm)
202.91	100	-72.2	-	-	NF
<b>Measurement Uncertainty</b>		<b>4. 7dB</b>			

Note: 1. All reading are peak; Scan form 25MHz to 25GHz; find the maximum radiation frequency to measure.

1. NF = No Significant Peak was Found.
2. Both the Mouse and USB dongle under receiving mode
3. Worse case is recorded

**Limits EN 300 440, Clause 4.3.5.4**

The power of any spurious emission shall not exceed 2 nW in the range 25 MHz to 1 GHz and shall not exceed 20 nW on frequencies above 1 GHz.

The report refers only to the sample tested and does not apply to the bulk.  
 This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.  
 In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.



### 3.0 Product Labelling

CE Mark label specification

Text of the mark is black or white in color and is left justified. Labels are printed in indelible ink on permanent adhesive backing and shall be affixed at a conspicuous location on the EUT or silk-screened onto the EUT.



Mark Location: Rear enclosure

#### 4.0 Photographs – Test Setup

##### Spurious Radiated emission test view



The report refers only to the sample tested and does not apply to the bulk.  
This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for advertising. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.  
In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.



**Spurious Radiated emission test view**



The report refers only to the sample tested and does not apply to the bulk.  
This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for advertising. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.  
In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.

## 5. Photographs - EUT

Outside View-Mouse



The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for advertising. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.



Outside View- Mouse



The report refers only to the sample tested and does not apply to the bulk.  
This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for advertising. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.  
In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.





Outside View- Mouse



The report refers only to the sample tested and does not apply to the bulk.  
This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for advertising. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.  
In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.



Inside view- Mouse



The report refers only to the sample tested and does not apply to the bulk.  
This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for advertising. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.  
In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.




Inside view- Mouse



The report refers only to the sample tested and does not apply to the bulk.  
This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for advertising. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.  
In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.



Inside view- Mouse



The report refers only to the sample tested and does not apply to the bulk.  
This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for advertising. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.  
In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.





Outside View- Dongle



The report refers only to the sample tested and does not apply to the bulk.  
This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for advertising. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.  
In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.





Outside View- Dongle



The report refers only to the sample tested and does not apply to the bulk.  
This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for advertising. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.  
In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.



Inside View-Dongle



The report refers only to the sample tested and does not apply to the bulk.  
This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for advertising. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.  
In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.



6.0 Test Equipments					
Instrument Type	Manufacturer	Model	Serial No.	Date of Cal.	Due Date
ESPI Test Receiver	ROHDE&SCHWARZ	ESPI 3	100379	2020-06-23	2021-06-22
TWO Line-V-NETW	ROHDE&SCHWARZ	EZH3-Z5	100294	2020-06-23	2021-06-22
TWO Line-V-NETW	ROHDE&SCHWARZ	EZH3-Z5	100253	2020-06-23	2021-06-22
Ultra Broadband ANT	ROHDE&SCHWARZ	HL562	100157	2020-06-23	2021-06-22
ESVB Test Receiver	ROHDE&SCHWARZ	ESVB	826156/011	2020-06-23	2021-06-22
Impuls-Begrenzer	ROHDE&SCHWARZ	ESH3-Z2	100281	2020-06-23	2021-06-22
5K VA AC Power Source	California Instruments	5001iX	56060	2020-06-23	2021-06-22
CDN	EM TEST	CDN M2/M3	-	2020-06-23	2021-06-22
Attenuation	EM TEST	ATT6/75	-	2020-06-23	2021-06-22
Resistance	EM TEST	R100	-	2020-06-23	2021-06-22
Electromagnetic Injection Clamp	LITTHI	EM101	35708	2020-06-23	2021-06-22
Inductive Components	EM TEST	MC2630	-	2020-06-23	2021-06-22
Antenna	EM TEST	MS100	-	2020-06-23	2021-06-22
Signal Generator	ROHDE&SCHWARZ	SMT03	100029	2020-06-23	2021-06-22
Power Amplifier	AR	150W1000	300999	2020-06-23	2021-06-22
Field probe	Holiday	HI-6005	105152	2020-06-23	2021-06-22
Bilog Antenna	Chase	CBL6111C	2576	2020-06-23	2021-06-22
Loop Antenna	EMCO	6507	00078608	2018-06-25	2021-06-24
Test Receiver	ROHDE&SCHWARZ	ESI26	838786/013	2020-06-23	2021-06-22
966 Chamber	YIHENG	--	N/A	2020-07-06	2021-07-05
Vector Signal Generator	AGILENT	E4438C	MY49070163	2021-01-15	2022-01-14
Splitter	Mini-Circuits	ZAP-50W	NN256400424	2021-01-15	2022-01-14
Directional Coupler	AGILENT	87300C	MY44300299	2021-01-15	2022-01-14
vector Signal Generator	AGILENT	E4438C	US44271917	2021-01-15	2022-01-14

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for advertising. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.



4 Ch.Simultaneous Sampling 14 Bits 2 MS/s	AGILENT	U2531A	TW54063507	2021-01-15	2022-01-14
4 Ch.Simultaneous Sampling 14 Bits 2 MS/s	AGILENT	U2531A	TW54063513	2021-01-15	2022-01-14
Splitter	Mini	PS3-7	4463	2021-01-15	2022-01-14
Spectrum Analyzer	AGILENT	E7405A	US44210471	2021-01-15	2022-01-14
Attenuator	Resnet	20dB	(n.a)	2021-01-15	2022-01-14
Signal Analyzer	AGILENT	N9010A	MY48030494	2021-01-15	2022-01-14
ESD Simulator	NoiseKen	ESS-2002	ESS06Y6394	2020-06-23	2021-06-22
Continuous Wave Simulator	EM TEST	CWS 500N	0704-05	2020-06-23	2021-06-22
Ultra Compact Simulator	EM TEST	UCS 500 M4	0304-42	2020-06-23	2021-06-22
Pre-Amplifier	HP	8447B	--	2020-09-17	2021-09-16
Horn Antenna	SchwarzBeck	BBHA9120D	01919	2018-07-09	2021-07-08
BiConiLog Antenna	SchwarzBeck	9163	1139	2018-07-04	2021-07-03
Pre-Amplifier	SchwarzBeck	BBV 9743	#218	2020-06-23	2021-06-22

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced either in its entirety or in part and it may not be used for advertising. The client to whom the report is issued may, however, show or send it, or a certified copy thereof prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES, to his customer, Supplier or other persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES, will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report, The SHENZHEN TIMEWAY TESTING LABORATORIES, reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.



## 7.0 Measurement Uncertainty

Test Item	Uncertainty
Radio frequency	$\pm 1 \times 10^{-7}$
RF power, conducted	$\pm 2.5\text{dB}$
Radiated emission of transmitter, valid to 26,5 GHz	$\pm 6\text{dB}$
Radiated emission of transmitter, valid between 26,5 GHz and 66 GHz	$\pm 8\text{dB}$
Radiated emission of receiver, valid to 26,5 GHz	$\pm 6\text{dB}$
Radiated emission of receiver, valid between 26,5 GHz and 66 GHz	$\pm 8\text{dB}$
RF level uncertainty for a given BER	$\pm 1.5\text{dB}$
Occupied Bandwidth	$\pm 10\%$
Temperature	$\pm 2.5^{\circ}\text{C}$
Humidity	$\pm 5\%$
Voltage (DC)	$\pm 1\%$
Voltage (AC, < 10 kHz)	$\pm 2\%$

## End of the Report

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for advertising. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.