

**Certification**  
**Issued Under the Authority of the**  
**Federal Communications Commission**  
**By:**

**LGAI Technological Center S.A. (APPLUS)**  
**Ronda de la Font del Carme, s/n <BR>P.O.**  
**Box 08193,**  
**Barcelona,**  
**Spain**

**Date of Grant: 11/24/2022**

**Application Dated: 11/23/2022**

**FN-LINK TECHNOLOGY LIMITED**  
**No.8, Litong Road, Liuyang Economic &**  
**Technical Development Zone,**  
**Changsha, Hunan,**  
**China**

**Attention: Jim Hu , Manager**

**NOT TRANSFERABLE**

EQUIPMENT AUTHORIZATION is hereby issued to the named GRANTEE, and is VALID ONLY for the equipment identified hereon for use under the Commission's Rules and Regulations listed below.

**FCC IDENTIFIER:** 2AATL-6223A-SRD  
**Name of Grantee:** FN-LINK TECHNOLOGY LIMITED  
**Equipment Class:** Digital Transmission System  
**Notes:** WIFI+BT combo Module  
**Modular Type:** Single Modular

<u>Grant Notes</u>	<u>FCC Rule Parts</u>	<u>Frequency Range (MHZ)</u>	<u>Output Watts</u>	<u>Frequency Tolerance</u>	<u>Emission Designator</u>
CC	15C	2402.0 - 2480.0	0.00141		
CC	15C	2412.0 - 2462.0	0.0171		

Class II Permissive Change as described in this filing. Single Modular Approval. Output power listed is conducted. Grantee is responsible for providing specific testing instructions to host manufacturers for additional testing to verify compliance as a composite system. This includes retesting of transmitter module per part 15.31(h) and (k) and verification of compliance with FCC RF Exposure requirements. Separate approval is required for all other operating configurations, including portable configurations with respect to 2.1093. The antenna(s) used for this transmitter must be installed to provide a separation distance of at least 20 cm from all persons. OEM integrators and end-users must be provided with transmitter operation conditions for satisfying RF exposure compliance. This device contains 20 MHz and 40 MHz signal bandwidth modes.

CC: This device is certified pursuant to two different Part 15 rules sections.