



Report No: TW2308036-01E  
Applicant: Eastern Times Technology Co.,Ltd  
Product: REDRAGON WIRELESS 75% GASKET MECHANICAL  
KEYBOARD  
Model No: K673WB-RGB-PRO, K673BW-RGB-PRO, ET-8986,  
K673CPG-RGB-PRO  
Trademark: REDRAGON

Test Standards: ETSI EN 300 440 v 2.2.1 (2018-07)

Test Result: The EMC testing has been performed on the submitted samples  
and found in compliance with council Radio Equipment Directive  
(RED) 2014/53/EU

Approved By

A handwritten signature in black ink that reads 'Terry Tang'.

Terry Tang

EMC Manager

Dated: August 30, 2023

**Results appearing herein relate only to the sample tested**

**The technical reports is issued errors and omissions exempt and is subject to  
withdrawal at**

**SHENZHEN TIMEWAY TESTING LABORATORIES.**

**Zone C, 1st Floor, Block B, Jun Xiang Da Building, Zhongshan Park Road West,  
Tong Le Village, Nanshan District, Shenzhen, China**

Tel (+86 755)8344 8688 Fax (+86 755)8344 2996 Email:info@timeway-lab.com

TEST  
REPORT



### **Special Statement:**

The testing quality ability of our laboratory meet with "Quality Law of People's Republic of China" Clause 19.

The testing quality system of our laboratory meet with ISO/IEC-17025 requirements, which is approved by CNAS. This approval result is accepted by MRA of APLAC.

Our test facility is recognized, certified, or accredited by the following organizations:

#### **CNAS-LAB Code: L2292**

The EMC Laboratory has been assessed and in compliance with CNAS-CL01 accreditation criteria for testing Laboratories (identical to ISO/IEC 17025:2017 General Requirements) for the Competence of testing Laboratories.

#### **FCC-Registration No.: 744189**

The EMC Laboratory has been registered and fully described in a report filed with the (FCC) Federal Communications commission. The acceptance letter from the FCC is maintained in our files. Registration No.: 744189.

#### **Industry Canada (IC) —Registration No.:5205A**

The EMC Laboratory has been registered by Certification and Engineering Bureau of Industry Canada for radio equipment testing with Registration No.: 5205A.

#### **A2LA (Certification Number:5013.01)**

The EMC Laboratory has been accredited by the American Association for Laboratory Accreditation (A2LA). Certification Number:5013.01

#### **CAB identifier: CN0033**



Test Report Conclusion  
Content

<b>1.0</b>	<b>General Details</b> .....	4
1.1	Notes.....	4
1.2	Test Laboratory.....	4
1.3	Details of Applicant.....	4
1.4	Application Details.....	4
1.5	Test Item.....	5
1.6	Test Standards.....	5
1.7	Configuration of The EUT.....	6
1.8	EUT Modification.....	6
1.9	Test By.....	6
<b>2.0</b>	<b>Technical Test</b> .....	7
2.1	Summary of Test Result.....	7
2.2	Test Report.....	7
	Clause 4.2.1 Transmitter Requirements.....	8
	Clause 4.2.2 Equivalent Isotropically Radiated Power (eirp).....	8
	Clause 4.2.3 Permitted Range of Operating Frequencies.....	11
	Clause 4.2.4 Unwanted Emissions in the spurious domain.....	13
	Clause 4.2.5 Duty Cycle.....	15
	Clause 4.3 Receiver Requirements.....	16
	Clause 4.3.3 Adjacent channel Selectivity.....	16
	Clause 4.3.4 Blocking or Desensitization.....	18
	Clause 4.3.5 Spurious radiations.....	20
<b>3.0</b>	<b>CE Label</b> .....	22
<b>4.0</b>	<b>Photograph-Test Set up</b> .....	23
<b>5.0</b>	<b>Photograph-EUT</b> .....	25
<b>6.0</b>	<b>Test Equipment</b> .....	37
<b>7.0</b>	<b>Measurement Uncertainty</b> .....	39

The report refers only to the sample tested and does not apply to the bulk.  
This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for advertising. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.  
In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.



## 1. General Information

### 1.1 Notes

The test results of this report relate exclusively to the test item specified in 1.5. The TIMEWAY Lab does not assume Responsibility for any conclusions and generalizations drawn from the test results with regard to other specimens or samples of the type of the equipment represented by the test item. The test report may only be reproduced or published in full. Reproduction or publication of extracts from the report requires the prior written approval of the TIMEWAY Lab.

### 1.2 Testing Laboratory

#### SHENZHEN TIMEWAY TESTING LABORATORIES.

Zone C, 1st Floor, Block B, Jun Xiang Da Building, Zhongshan Park Road West, Tong Le Village, Nanshan District, Shenzhen, China

Tel: +86 755 83448688 Fax: +86 755 83442996

Internet: [www.timeway-lab.com](http://www.timeway-lab.com)

Site on File With the Federal Communications and Commission – United States

Registration Number: 744189

For 3m Anechoic Chamber

Site Listed with Industry Canada of Ottawa, Canada

Registration Number: IC: 5205A

For 3m Anechoic Chamber

### 1.3 Details of Applicant

Name: Eastern Times Technology Co.,Ltd

Address: Building D, Nan An Industrial Area, Youganpu Village, Fenggang Town, Dongguan City, Guangdong, China.

### 1.4 Application Details

Date of Receipt of Application: August 02, 2023

Date of Receipt of Test Item: August 02, 2023

Date of Test: August 02, 2023 ~ August 30, 2023

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for advertising. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.



### 1.5 Test Item

Manufacturer: Eastern Times Technology Co.,Ltd

Address: Building D, Nan An Industrial Area, Youganpu Village, Fenggang Town, Dongguan City, Guangdong, China.

Trademark: REDRAGON

Model No.: K673WB-RGB-PRO

Additional Model: K673BW-RGB-PRO, ET-8986, K673CPG-RGB-PRO

Description: REDRAGON WIRELESS 75% GASKET MECHANICAL KEYBOARD

### Additional Information

Frequency: 2403MHz-2480MHz for Keyboard/dongle Part

Channel Number: 16

Channel List (unit: MHz): 2403, 2424, 2441, 2461, 2414, 2435, 2450, 2470, 2409, 2429, 2455, 2475, 2419, 2445, 2465, 2480

Modulation Type: GFSK

Antenna Designation: PCB antenna with maximum gain -7.30dBi for keyboard part and 1.66dBi for USB dongle part

Rating: DC5V hosted from PC for USB dongle part; DC5V, 825mA or DC3.7V, 325mA for Keyboard Part

Battery: DC3.7V, 3000mAh Li-ion battery or keyboard part (Li-ion battery)

Operation Distance: N/A

Resolution: N/A

Extreme Temp. Tolerance: -20°C to 55°C

### Note: Classification according to CEPT/ERC Recommendation 70-03

### 1.6 Test Standards

#### ETSI EN 300 440 v 2.2.1 (2018-07)

Short Range Devices (SRD);

Radio equipment to be used in the 1 GHz to 40 GHz frequency range;

Harmonised Standard for access to radio spectrum

Note: All radiated measurements were made in all three orthogonal planes. The values reported are the maximum values.

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for advertising. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.





## 2. Technical Test

### 2.1 Summary of Test Results

No deviations from the technical specification(s) were ascertained in the course of the tests Performed	
Final Verdict: (Only "Passed" if all Measurements are "Passed")	<b>Pass</b>

### 2.2 Test Report

#### Test Report Reference

List of Measurements	
Parameter to be measured	Clause
<b>Transmitter Parameters</b>	
Transmitter Requirements	Clause 4.2.1
Equivalent Isotropically Radiated Power (eirp)	Clause 4.2.2
Permitted Range of Operating Frequencies	Clause 4.2.3
Unwanted emissions in the spurious domain	Clause 4.2.4
Duty Cycle	Clause 4.2.5
<b>Receiver Parameters</b>	
Receiver Requirements	Clause 4.3
Adjacent Band Selectivity	Clause 4.3.3
Blocking or Desensitisation	Clause 4.3.4
Receiver Spurious Emissions	Clause 4.3.5

Note: The clause numbers are referenced to ETSI EN 300 440 v 2.2.1 (2018-07).

The report refers only to the sample tested and does not apply to the bulk.  
 This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced either in its entirety or in part and it may not be used for advertising. The client to whom the report is issued may, however, show or send it, or a certified copy thereof prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES, to his customer, Supplier or other persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES, will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.  
 In the event of the improper use of the report, the SHENZHEN TIMEWAY TESTING LABORATORIES, reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.



**Clause 4.2.1 Transmitter Requirements**


The transmitter with a dedicated antenna.

**Clause 4.2.2 Equivalent Isotropically Radiated Power (eirp)**

For Transmitter

EIRP is calculated by method described under EN 300 440 sub clause 4.2.2.3

Conducted measurements



**Figure 2: Measurement arrangement**

For practical reasons, measurements shall be performed only at the highest power level at which the transmitter is intended to operate. The measurement arrangement in figure 2 shall be used.

The measurement shall be performed preferably in the absence of modulation.

When it is not possible to measure it in the absence of modulation, this fact shall be stated in test reports.

The transmitter shall be set in continuous transmission mode. If this is not possible, the measurements shall be carried out in a period shorter than the duration of the transmitted burst. It may be necessary to extend the duration of the burst.

The transmitter shall be connected to an artificial antenna (see clause 5.8.2) and the power delivered to this artificial antenna shall be measured.

The equivalent isotropically radiated power is then calculated from the measured value, the known antenna gain, relative to an isotropic antenna, and if applicable, any losses due to cables and connectors in the measurement system.

For Transmitter:

Keyboard Part

Test Conditions		-6 dB transmitter bandwidth		
		Low Freq. 2403MHz	Mid Freq. 2441MHz	High Freq. 2480MHz
T <sub>nor</sub> (25°C)	V <sub>nor</sub> (3.7V)	1202kHz	1252kHz	1242kHz

USB Dongle Part

Test Conditions		-6 dB transmitter bandwidth		
		Low Freq. 2403MHz	Mid Freq. 2441MHz	High Freq. 2480MHz
T <sub>nor</sub> (25°C)	V <sub>nor</sub> (230V)	1187kHz	1236kHz	1227kHz

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for advertising. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.



For Transmitter:  
 Keyboard Part

Test Conditions		Transmitter Power (Limit 10dBm) EIRP					
		Low Freq. 2403MHz		Mid Freq. 2441MHz		High Freq. 2480MHz	
T <sub>nor</sub> (25°C)	V <sub>nor</sub> (3.7V)	Pk	-3.65	Pk	-3.65	Pk	-3.41
T <sub>min</sub> (-10°C)	V <sub>H</sub> (4.2V)	Pk	-3.55	Pk	-3.55	Pk	-3.34
T <sub>max</sub> (+55°C)	V <sub>H</sub> (4.2V)	Pk	-3.53	Pk	-3.54	Pk	-3.30
T <sub>min</sub> (-20°C)	V <sub>L</sub> (3.3V)	Pk	-3.65	Pk	-3.77	Pk	-3.52
T <sub>max</sub> (+55°C)	V <sub>L</sub> (3.3V)	Pk	-3.72	Pk	-3.73	Pk	-3.51

Dongle Part

Test Conditions		Transmitter Power (Limit 10dBm) EIRP					
		Low Freq. 2403MHz		Mid Freq. 2441MHz		High Freq. 2480MHz	
T <sub>nor</sub> (25°C)	V <sub>nor</sub> (230V)	Pk	-3.81	Pk	-3.83	Pk	-3.69
T <sub>min</sub> (-10°C)	V <sub>L</sub> (207V)	Pk	-3.82	Pk	-3.94	Pk	-3.78
T <sub>max</sub> (+55°C)	V <sub>L</sub> (207V)	Pk	-3.89	Pk	-3.90	Pk	-3.77
T <sub>min</sub> (-10°C)	V <sub>H</sub> (253V)	Pk	-3.72	Pk	-3.72	Pk	-3.60
T <sub>max</sub> (+55°C)	V <sub>H</sub> (253V)	Pk	-3.70	Pk	-3.71	Pk	-3.56

Note:

- (1) The EUT is a stand-alone radio device. The keyboard part is powered Li-ion battery. The USB dongle part is powered by PC, so the ac source is the power.
- (2) The value of table is worst case during test condition, includes different combinations of transmitter rate antenna polarity and temperature.
- (3) EIRP=Reading + Loss + Antenna Gain

The report refers only to the sample tested and does not apply to the bulk.  
 This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for advertising. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.  
 In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.



**Limits: EN 300 440, Clause 4.2.2.4**

**Table 2: Maximum radiated peak power (e.i.r.p.)**

Frequency Bands	Power	Application	Notes
2 400 MHz to 2 483,5 MHz	10 mW e.i.r.p.	Non-specific short range devices	
2 400 MHz to 2 483,5 MHz	25 mW e.i.r.p.	Radio determination devices	
(a) 2 446 MHz to 2 454 MHz	500 mW e.i.r.p.	Radio Frequency Identification (RFID) devices	See also table 4 and annex D
(b) 2 446 MHz to 2 454 MHz	4 W e.i.r.p.	Radio Frequency Identification (RFID) devices	See also table 4 and annex D
5 725 MHz to 5 875 MHz	25 mW e.i.r.p.	Non-specific short range devices	
9 200 MHz to 9 500 MHz	25 mW e.i.r.p.	Radio determination devices	
9 500 MHz to 9 975 MHz	25 mW e.i.r.p.	Radio determination devices	
10,5 GHz to 10,6 GHz	500 mW e.i.r.p.	Radio determination devices	
13,4 GHz to 14,0 GHz	25 mW e.i.r.p.	Radio determination devices	
17,1 GHz to 17,3 GHz	400 mW e.i.r.p.	Radio determination devices	See annex F
24,00 GHz to 24,25 GHz	100 mW e.i.r.p.	Non-specific short range devices and Radio determination devices	

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for advertising. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.



**Clause 4.2.3 Permitted Range of Operating Frequencies**

For Transmitter:

Keyboard Part

Test Conditions		Frequency (MHz) at which-30 dBm occurs	
		Low Frequency ( $f_L$ ) 2403MHz	High Frequency ( $f_H$ ) 2480MHz
$T_{nor}$ (25°C)	$V_{nor}$ (3.7V)	2401.76253	2481.14729
$T_{min}$ (-10°C)	$V_H$ (4.2V)	2401.76258	2481.14735
$T_{max}$ (+55°C)	$V_H$ (4.2V)	2401.76266	2481.14725
$T_{min}$ (-10°C)	$V_L$ (3.3V)	2401.76260	2481.14718
$T_{max}$ (+55°C)	$V_L$ (3.3V)	2401.76252	2481.14726

USB Dongle Part

Test Conditions		Frequency (MHz) at which-30 dBm occurs	
		Low Frequency ( $f_L$ ) 2403MHz	High Frequency ( $f_H$ ) 2480MHz
$T_{nor}$ (25°C)	$V_{nor}$ (230V)	2401.76034	2481.14483
$T_{min}$ (-20°C)	$V_L$ (207V)	2401.76028	2481.14491
$T_{max}$ (+55°C)	$V_L$ (207V)	2401.76031	2481.14488
$T_{min}$ (-20°C)	$V_H$ (253V)	2401.76026	2481.14475
$T_{max}$ (+55°C)	$V_H$ (253V)	2401.76033	2481.14477

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for advertising. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.



Keyboard Part

Test Conditions		Frequency (MHz) at which 99%BW occurs	
		Low Frequency (f <sub>L</sub> ) 2403MHz	High Frequency (f <sub>H</sub> ) 2480MHz
T <sub>nor</sub> (25°C)	V <sub>nor</sub> (3.7V)	2401.91283	2481.00701
T <sub>min</sub> (-10°C)	V <sub>H</sub> (4.2V)	2401.91278	2481.00707
T <sub>max</sub> (+55°C)	V <sub>H</sub> (4.2V)	2401.91286	2481.00696
T <sub>min</sub> (-10°C)	V <sub>L</sub> (3.3V)	2401.91290	2481.00706
T <sub>max</sub> (+55°C)	V <sub>L</sub> (3.3V)	2401.91289	2481.00698

USB Dongle Part

Test Conditions		Frequency (MHz) at which 99%BW occurs	
		Low Frequency (f <sub>L</sub> ) 2403MHz	High Frequency (f <sub>H</sub> ) 2480MHz
T <sub>nor</sub> (25°C)	V <sub>nor</sub> (230V)	2401.91004	2481.00348
T <sub>min</sub> (-20°C)	V <sub>L</sub> (207V)	2401.90998	2481.00352
T <sub>max</sub> (+40°C)	V <sub>L</sub> (207V)	2401.90995	2481.00341
T <sub>min</sub> (-20°C)	V <sub>H</sub> (253V)	2401.91007	2481.00356
T <sub>max</sub> (+40°C)	V <sub>H</sub> (253V)	2401.91005	2481.00349

Note:

- (1) The EUT is a stand-alone radio device. The Keyboard part is powered Li-ion battery. The USB dongle part is powered by PC, so the ac source is the power.
- (2) The value of table is worst case during test condition, includes different combinations of transmitter rate antenna polarity and temperature.

Limits EN 300 440 Clause 4.2.3.5

Under Normal Test Conditions	F <sub>L</sub> >2400MHz, f <sub>H</sub> <2483.5
------------------------------	---

The report refers only to the sample tested and does not apply to the bulk.  
This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for advertising. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.  
In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.



**Clause 4.2.4 Spurious Emissions  
 (Radiated)**

Product	REDRAGON WIRELESS 75% GASKET MECHANICAL KEYBOARD	Test Mode	Low and High Channel
Test Item	Spurious Emissions data	Temperature	25°C
Test Voltage	DC5V(Dongle), DC3.7V (keyboard)	Humidity	56%RH
Test Result	Pass	Model:	K673WB-RGB-PRO

Note:

1. Measurements were done on low & high channels, the worst case are submitted in the report.
2. The spurious emissions were done with different settings, using the relevant pre-amplifiers for the relevant frequency ranges.
3. The test frequency range is from 25M-25G and please see clause 4.2.4.3.3 of EN 300 440 for the test method.

Low Channel (2403MHz) for keyboard Part

Horizontal			Vertical		
F(MHz)	Band-Width(kHz)	Level (dBm)	F(MHz)	Band-Width(kHz)	Level(dBm)
256.91	100	-70.7	287.05	100	-71.6
4806	1000	-46.1	4806	1000	-51.3
Measurement Uncertainty		4. 7dB			

High Channel (2480MHz) for keyboard Part

Horizontal			Vertical		
F(MHz)	Band-Width(kHz)	Level (dBm)	F(MHz)	Band-Width(kHz)	Level(dBm)
431.59	100	-71.2	382.41	100	-70.8
4960	1000	-45.0	4960	1000	-50.5
Measurement Uncertainty		4. 7dB			

Low Channel for USB Dongle Part

Lowest Frequency			Highest Frequency		
F(MHz)	Band-Width(kHz)	Level (dBm)	F(MHz)	Band-Width(kHz)	Level(dBm)
403.59	100	-70.5	-	-	NF
Measurement Uncertainty		4. 7dB			

The report refers only to the sample tested and does not apply to the bulk.  
 This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for advertising. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.  
 In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.



High Channel for USB Dongle Part

Lowest Frequency			Highest Frequency		
F(MHz)	Band-Width(kHz)	Level (dBm)	F(MHz)	Band-Width(kHz)	Level(dBm)
273.65	100	-71.1	-	-	NF
Measurement Uncertainty		4.7dB			

Limits EN 300 440, Clause 4.2.4.4

**Table 3: Spurious emissions**

Frequency ranges	47 MHz to 74 MHz 87,5 MHz to 108 MHz 174 MHz to 230 MHz 470 MHz to 862 MHz	Other frequencies ≤ 1 000 MHz	Frequencies > 1 000 MHz
State			
Operating	4 nW	250 nW	1 μW
Standby	2 nW	2 nW	20 nW

The report refers only to the sample tested and does not apply to the bulk.  
 This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for advertising. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.  
 In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.



**Clause 4.2.5 Duty Cycle  
 For Transmitter**

The EUT is REDDRAGON WIRELESS 75% GASKET MECHANICAL KEYBOARD intends to use in household and office or related application, It's declared by the manufacturer as a duty ratio up to 100%

Product	REDRAGON WIRELESS 75% GASKET MECHANICAL KEYBOARD	Test Mode	Low, High and Middle Channel
Test Item	Duty Cycle	Temperature	25°C
Test Voltage	DC5V(Dongle), DC3.7V (keyboard)	Humidity	56%RH
Test Result	Pass	Model:	K673WB-RGB-PRO

**X = Duty Cycle Ratio, Up to 100%**

**Limits EN 300 440-1, Clause 4.2.5.4**

**Table 4: Duty cycle limits**

Frequency Band	Duty cycle	Application	Notes
2 400 MHz to 2 483,5 MHz	No Restriction	Generic use	
2 400 MHz to 2 483,5 MHz	No Restriction	Radiodetermination	
(a) 2 446 MHz to 2 454 MHz	No Restriction	RFID	Limits shown in Annex G shall apply
(b) 2 446 MHz to 2 454 MHz	≤ 15 %	RFID	Limits shown in Annex G shall apply
5 725 MHz to 5 875 MHz	No Restriction	Generic use	
9 200 MHz to 9 500 MHz	No Restriction	Radiodetermination	
9 500 MHz to 9 975 MHz	No Restriction	Radiodetermination	
10,5 GHz to 10,6 GHz	No Restriction	Radiodetermination	
13,4 GHz to 14,0 GHz	No Restriction	Radiodetermination	
17,1 GHz to 17,3 GHz	DAA or equivalent techniques	Radiodetermination, limited to GBSAR detecting and movement and alert applications	Limits shown in Annex I shall apply
24,0 GHz to 24,25 GHz	No Restriction	Generic use and for radiodetermination	

**NOTE:** The spectrum ranges in some entries are not harmonised throughout all EU territory, specifically entries 4, 9, and 11 have been identified as such. Implementers are cautioned to refer to CEPT/ERC Recommendation 70-03 [i.2] as well as current National Radio plans to verify acceptance within intended regions of use.

The report refers only to the sample tested and does not apply to the bulk.  
 This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for advertising. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.  
 In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.



**Clause 4.3 Receiver Requirements**

**For Receiver**

**Receiver Classification, Table 2 of EN300 440**

**Table 5: Receiver categories**

Receiver category	Relevant receiver clauses	Risk assessment of receiver performance
1	4.3.3, 4.3.4 and 4.3.5	Highly reliable SRD communication media; e.g. serving human life inherent systems (may result in a physical risk to a person).
2	4.3.4 and 4.3.5	Medium reliable SRD communication media e.g. causing inconvenience to persons, which cannot simply be overcome by other means.
3	4.3.5	Standard reliable SRD communication media e.g. Inconvenience to persons, which can simply be overcome by other means (e.g. manual).

**Note: The EUT (Rx Part) belongs to Class 3**

**Clause 4.3.3 Adjacent Band Selectivity**

**For Receiver**

Product	REDRAGON WIRELESS 75% GASKET MECHANICAL KEYBOARD	Test Mode	Low and High Channel
Test Item	Adjacent Band Selectivity	Temperature	25°C
Test Voltage	DC5V(Dongle), DC3.7V (keyboard)	Humidity	56%RH
Test Result	Pass	Model:	K673WB-RGB-PRO

**Keyboard under receiving mode**

Low Channel-2403MHz

Adjacent channel selectivity	Limit
-30.6	-38.41

High Channel-2480MHz

Adjacent channel selectivity	Limit
-29.8	-38.83

The report refers only to the sample tested and does not apply to the bulk.  
 This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced in its entirety or in part and it may not be used for advertising. The client to whom the report is issued may, however, show or send it or a certified copy thereof prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.  
 In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.



**USB Dongle under receiving mode**

Low Channel-2403MHz

Adjacent channel selectivity	Limit
-31.3	-38.36

High Channel-2480MHz

Adjacent channel selectivity	Limit
-31.6	-38.78

**Limit**

The adjacent channel selectivity of the equipment under specified conditions shall not be less than  $-30 \text{ dBm} + k$ .

The correction factor,  $k$ , is as follows:

$$k = -20 \log f - 10 \log BW$$

Where:

- $f$  is the frequency in GHz;
- $BW$  is the channel bandwidth in MHz.

The factor  $k$  is limited within the following:

$$-40 < k < 0 \text{ dB.}$$

The report refers only to the sample tested and does not apply to the bulk.  
This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for advertising. The client to whom the report is issued may, however, show or send it or a certified copy thereof prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.  
In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.



**Clause 4.3.4 Blocking or Desensitization  
For Receiver**

Product REDDRAGON WIRELESS 75% GASKET Test Mode Low and High Channel  
MECHANICAL KEYBOARD  
Test Item Blocking or Desensitization Temperature 25°C  
Test Voltage DC5V for USB dongle part, DC3.7V for keyboard Part Humidity 56%RH  
Test Result Pass Model: K673WB-RGB-PRO

**Keyboard under receiving mode**

Low Channel-2403MHz

Wanted Signal (MHz)	Unwanted Signal (MHz)	Blocking Level (dBm)	Limit	Result
2403	2403-10	-49.9	-68.41	Pass
2403	2403-20	-43.5	-68.41	Pass
2403	2403-50	-35.1	-68.41	Pass

High Channel-2480MHz

Wanted Signal (MHz)	Unwanted Signal (MHz)	Blocking Level (dBm)	Limit	Result
2480	2480+10	-50.3	-68.83	Pass
2480	2480+20	-42.8	-68.83	Pass
2480	2480+50	-35.4	-68.83	Pass

Note: the receive channel bandwidth is 2MHz

**USB Dongle under receiving mode**

Low Channel-2403MHz

Wanted Signal (MHz)	Unwanted Signal (MHz)	Blocking Level (dBm)	Limit	Result
2403	2403-10	-50.9	-68.36	Pass
2403	2403-20	-44.0	-68.36	Pass
2403	2403-50	-39.7	-68.36	Pass

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for advertising. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.



High Channel-2480MHz

Wanted Signal (MHz)	Unwanted Signal (MHz)	Blocking Level (dBm)	Limit	Result
2480	2480+10	-49.6	-68.78	Pass
2480	2480+20	-44.5	-68.78	Pass
2480	2480+50	-38.7	-68.78	Pass

Note: the receive channel bandwidth is 1MHz

**Limit**

The blocking level, for any frequency within the specified ranges, shall not be less than the values given in table 6, except at frequencies on which spurious responses are found.

**Table 6: Limits for blocking or desensitization**

Receiver category	Limit
1	-30 dBm + k
2	-45 dBm + k
3	-60 dBm + k

The correction factor, k, is as follows:

$$k = -20 \log f - 10 \log BW$$

Where:

- f is the frequency in GHz;
- BW is the channel bandwidth in MHz.

The factor k is limited within the following:

$$-40 \text{dB} < k < 0 \text{dB}$$

The report refers only to the sample tested and does not apply to the bulk.  
 This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for advertising. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.  
 In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.



**Clause 4.3.5 Receiver Spurious Emissions  
 (Radiated)**

Product	REDRAGON WIRELESS 75% GASKET MECHANICAL KEYBOARD	Test Mode	Low and High Channel
Test Item	Spurious Emissions data	Temperature	25°C
Test Voltage	DC5V for USB dongle part and DC 3.7V for keyboard Part	Humidity	56%RH
Test Result	Pass	Model:	K673WB-RGB-PRO

Note:

1. Measurements were done on low & high channels, the worst case are submitted in the test report.
2. The receiver spurious emissions were done with different settings, using the relevant and pre-amplifiers for the relevant frequency ranges.

**Low Channel (2403MHz) for keyboard Part**

Horizontal			Vertical		
F(MHz)	Band-Width(kHz)	Level (dBm)	F(MHz)	Band-Width(kHz)	Level(dBm)
230.73	100	-71.2	312.81	100	-70.7
Measurement Uncertainty		4. 7dB			

**High Channel (2480MHz) for keyboard Part**

Horizontal			Vertical		
F(MHz)	Band-Width(kHz)	Level (dBm)	F(MHz)	Band-Width(kHz)	Level(dBm)
332.90	100	-71.3	255.38	100	-70.6
Measurement Uncertainty		4. 7dB			

**Low Channel (2403MHz) for USB Dongle Part**

Horizontal			Vertical		
F(MHz)	Band-Width(kHz)	Level (dBm)	F(MHz)	Band-Width(kHz)	Level(dBm)
357.76	100	-70.2	276.90	100	-71.4
Measurement Uncertainty		4. 7dB			

The report refers only to the sample tested and does not apply to the bulk.  
 This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for advertising. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.  
 In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.



**High Channel (2480MHz) for USB Dongle Part**

Horizontal			Vertical		
F(MHz)	Band-Width(kHz)	Level (dBm)	F(MHz)	Band-Width(kHz)	Level(dBm)
203.49	100	-71.8	83.03	100	-70.4
Measurement Uncertainty		4.7dB			

- Note: 1. All reading are peak; Scan form 25MHz to 25GHz; find the maximum radiation frequency to measure.  
2. Both the Keyboard and USB dongle under receiving mode  
3. Worse case is recorded

**Limits EN 300 440, Clause 4.3.5.4**

The power of any spurious emission shall not exceed 2 nW in the range 25 MHz to 1 GHz and shall not exceed 20 nW on frequencies above 1 GHz.

The report refers only to the sample tested and does not apply to the bulk.  
This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.  
In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.



### 3.0 Product Labelling

CE Mark label specification

Text of the mark is black or white in color and is left justified. Labels are printed in indelible ink on permanent adhesive backing and shall be affixed at a conspicuous location on the EUT or silk-screened onto the EUT.



Mark Location: Rear enclosure



#### 4. Photographs – Test Setup

##### Spurious Radiated emission test view



The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for advertising. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.



**Spurious Radiated emission test view**



The report refers only to the sample tested and does not apply to the bulk.  
This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for advertising. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.  
In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.



## 5.0 Photographs – EUT

Outside View



The report refers only to the sample tested and does not apply to the bulk.  
This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for advertising. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.  
In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.



Outside View



The report refers only to the sample tested and does not apply to the bulk.  
This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for advertising. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.  
In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.




Outside View



The report refers only to the sample tested and does not apply to the bulk.  
This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for advertising. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.  
In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.




Outside View



The report refers only to the sample tested and does not apply to the bulk.  
This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for advertising. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.  
In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.



Inside View




The report refers only to the sample tested and does not apply to the bulk.  
This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for advertising. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.  
In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.






Inside View



The report refers only to the sample tested and does not apply to the bulk.  
This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for advertising. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.  
In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.


Inside View



The report refers only to the sample tested and does not apply to the bulk.  
This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for advertising. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.  
In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.




Inside View



The report refers only to the sample tested and does not apply to the bulk.  
This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for advertising. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.  
In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.




Outside View-Dongle



The report refers only to the sample tested and does not apply to the bulk.  
This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for advertising. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.  
In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.




Outside View-Dongle



The report refers only to the sample tested and does not apply to the bulk.  
This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for advertising. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.  
In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.



Inside View-Dongle



The report refers only to the sample tested and does not apply to the bulk.  
This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for advertising. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.  
In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.



6.0 Test Equipment					
Instrument Type	Manufacturer	Model	Serial No.	Date of Cal.	Due Date
ESPI Test Receiver	R&S	ESPI 3	100379	2023-07-14	2024-07-13
TWO Line-V-NETW	R&S	EZH3-Z5	100294	2023-07-14	2024-07-13
TWO Line-V-NETW	R&S	EZH3-Z5	100253	2023-07-14	2024-07-13
Ultra Broadband ANT	R&S	HL562	100157	2023-07-14	2024-07-13
ESVB Test Receiver	R&S	ESVB	826156/011	2023-07-14	2024-07-13
Impuls-Begrenzer	R&S	ESH3-Z2	100281	2023-07-14	2024-07-13
5K VA AC Power Source	California Instruments	500iX	56060	2023-07-14	2024-07-13
CDN	EM TEST	CDN M2/M3	-	2023-07-14	2024-07-13
Attenuation	EM TEST	ATT6/75	-	2023-07-14	2024-07-13
Resistance	EM TEST	R100	-	2023-07-14	2024-07-13
Electromagnetic Injection Clamp	LITTHI	EM101	35708	2023-07-14	2024-07-13
Inductive Components	EM TEST	MC2630	-	2023-07-14	2024-07-13
Antenna	EM TEST	MS100	-	2023-07-14	2024-07-13
Signal Generator	R&S	SMT03	100029	2023-07-14	2024-07-13
Power Amplifier	AR	150W1000	300999	2023-07-14	2024-07-13
Field probe	Holaday	HI-6005	105152	2023-07-14	2024-07-13
Bilog Antenna	Chase	CBL6111C	2576	2022-07-18	2025-07-17
Loop Antenna	EMCO	6507	00078608	2022-07-18	2025-07-17
Test Receiver	R&S	ESI26	838786/013	2023-07-14	2024-07-13
966 Chamber	YIHENG	--	N/A	2022-07-26	2025-07-25
Vector Signal Generator	AGILENT	E4438C	MY49070163	2023-01-12	2024-01-11
Splitter	Mini-Circuits	ZAP-50W	NN25640042 4	2023-01-12	2024-01-11
Directional Coupler	AGILENT	87300C	MY44300299	2023-01-12	2024-01-11
vector Signal Generator	AGILENT	E4438C	US44271917	2023-01-12	2024-01-11
4 Ch.Simultaneous Sampling 14 Bits 2 MS/s	AGILENT	U2531A	TW54063507	2023-01-12	2024-01-11

The report refers only to the sample tested and does not apply to the bulk.  
This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for advertising. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.  
In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.



4 Ch.Simultaneous Sampling 14 Bits 2 MS/s	AGILENT	U2531A	TW54063513	2023-01-12	2024-01-11
Splitter	Mini	PS3-7	4463	2023-01-12	2024-01-11
Spectrum Analyzer	AGILENT	E7405A	US44210471	2023-01-12	2024-01-11
Attenuator	Resnet	20dB	(n.a)	2023-01-12	2024-01-11
Signal Analyzer	AGILENT	N9010A	MY48030494	2023-01-12	2024-01-11
ESD Simulator	NoiseKen	ESS-2002	ESS06Y6394	2023-07-14	2024-07-13
Continuous Wave Simulator	EM TEST	CWS 500N	0704-05	2023-07-14	2024-07-13
Ultra Compact Simulator	EM TEST	UCS 500 M4	0304-42	2023-07-14	2024-07-13
Pre-Amplifier	HP	8447B	--	2023-07-14	2024-07-13
Horn Antenna	SchwarzBeck	BBHA9120D	01919	2023-07-14	2024-07-13
BiConiLog Antenna	SchwarzBeck	9163	1139	2023-07-14	2024-07-13
Pre-Amplifier	SchwarzBeck	BBV 9743	#218	2023-07-14	2024-07-13

The report refers only to the sample tested and does not apply to the bulk.  
 This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.  
 In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.



## 7.0 Measurement Uncertainty

Test Item	Uncertainty
Radio frequency	$\pm 1 \times 10^{-7}$
RF power, conducted	$\pm 2.5\text{dB}$
Radiated emission of transmitter, valid to 26,5 GHz	$\pm 6\text{dB}$
Radiated emission of transmitter, valid between 26,5 GHz and 66 GHz	$\pm 8\text{dB}$
Radiated emission of receiver, valid to 26,5 GHz	$\pm 6\text{dB}$
Radiated emission of receiver, valid between 26,5 GHz and 66 GHz	$\pm 8\text{dB}$
RF level uncertainty for a given BER	$\pm 1.5\text{dB}$
Occupied Bandwidth	$\pm 10\%$
Temperature	$\pm 2.5^\circ\text{C}$
Humidity	$\pm 5\%$
Voltage (DC)	$\pm 1\%$
Voltage (AC, < 10 kHz)	$\pm 2\%$

## End of the Report

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for advertising. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.